





Clorofórmio(µg/L)	---	---	---	---	---	---	---	---
Dibromoclorometano(µg/L)	---	---	---	---	---	---	---	---
Tetracloroeteno e Tricloroeteno (µg/L):	10	---	---	---	---	---	---	---
Tricloroeteno(µg/L)	---	---	---	---	---	---	---	---
Trihalometanos - total (µg/L):	100	---	---	---	---	---	---	---
Tetracloroeteno(µg/L)	---	---	---	---	---	---	---	---
<b>HAP</b>								
Benzo(b)fluoranteno (µg/L)	---	---	---	---	---	---	---	---
Benzo(k)fluoranteno (µg/L)	---	---	---	---	---	---	---	---
Benzo(a)pireno (µg/L)	0,010	---	---	---	---	---	---	---
Benzo(ghi)perileno (µg/L)	---	---	---	---	---	---	---	---
Indeno(1,2,3-cd)pireno(µg/L)	---	---	---	---	---	---	---	---
carbonetos Aromáticos Policíclicos (µg/L):	0,10	---	---	---	---	---	---	---
<b>Radiológicos</b>								
Alpha total (Bq/L)	0,10	---	---	---	---	---	---	---
Radão (Bq/L)	500,00	---	---	---	---	---	---	---
Dose Indicativa total (mSv/yr)	0,10	---	---	---	---	---	---	---
<b>NOTA 1: Zonas de abastecimento controladas: FERNANDO PÓ</b>								
<b>NOTA 2: Parâmetro (conservativo) analisado pela entidade gestora em alta (CM PALMELA )</b>								
<b>O presidente: (nome e assinatura)</b>						<b>Data da publicação:</b>		